


TE85

Natural Convection and Radiation

Shows students how different types of heat can transfer over a range of pressures

Works with
VDAS®



Screenshot of the optional VDAS® software



- A self-contained, mobile, compact unit for ease of use and storage
- Helps students to understand natural 'free' convection, radiation, emissivity and the Stefan-Boltzman equation
- Includes a pressure vessel to allow tests above and below atmospheric pressure
- All instruments and vacuum pump included
- Can connect to TecEquipment's optional Versatile Data Acquisition System (VDAS®) for automatic data acquisition
- Test results are accurate enough to allow extrapolation down to a complete vacuum

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- T +44 115 972 2611 • F +44 115 973 1520 • E info@tecquipment.com • W www.tecquipment.com
- An ISO 9001 certified company
- VDAS is a registered trademark of TecEquipment Ltd

TE85

Natural Convection and Radiation

Description

The Natural Convection and Radiation equipment allows the study of heat transfer at different pressures and vacuum. It shows the differences between radiation and natural 'free' convection. It allows students to find the emissivity of a surface and verify the Stefan-Boltzman equation. It also gives students an understanding of the non-dimensional characteristics using Nusselt, Grashof, Prandtl and Knudsen numbers.

A small heated element hangs in the centre of a pressure vessel. The heater has a matt black surface. Attached to its surface is a thermocouple to measure the temperature.

The vessel's inside is also black, and it has a thermocouple fitted to its wall to measure the temperature in the vessel. The vessel may be charged with compressed air up to 1 bar (gauge) or evacuated down to about 5 Pa (absolute). Students can extrapolate the results down to a total vacuum (no convection). This allows them to isolate the heat transfer by radiation.

Instruments and a digital display measure and display the temperatures, pressures and power to the element. To give accurate measurements of pressure and vacuum, the equipment has two different pressure transducers - one for pressures above atmospheric and one for pressures below atmospheric.

The equipment also includes a socket for connection to TecEquipment's VDAS. Included is a vacuum pump, and a regulator for an external compressed air supply (up to 10 bar). The system includes a pressure relief valve to protect the equipment and the user.

The equipment works with TecEquipment's Versatile Data Acquisition System (VDAS-B, not included). TecEquipment's Versatile Data Acquisition System allows accurate real-time data capture, monitoring, display, calculation and charting of all the important readings on a computer (computer not supplied).

Recommended Ancillaries

- Versatile Data Acquisition System (VDAS-B) – a bench-mounted version of TecEquipment's Versatile Data Acquisition System

Standard Features

- Supplied with comprehensive user guide
- Two-year warranty
- Manufactured in accordance with the latest European Union directives

Experiments

- Determination of emissivity
- Verification of the Stefan-Boltzmann constant

Operating Conditions

Operating environment:
Laboratory environment

Storage temperature range:
-25°C to +55°C (when packed for transport)

Operating temperature range:
+5°C to +40°C

Operating relative humidity range:
80% at temperatures < 31°C decreasing linearly to 50% at 40°C

Essential Services

Electrical supply:
110 VAC or 230 VAC, 50 Hz to 60 Hz (please state when ordering)

Note: For tests with pressures above atmospheric, you also need an external supply of clean, dry compressed air at between 1.5 bar and 10 bar (not supplied).

Specification

Nett dimensions and weight:
1400 x 610 x 1250 mm and 200 kg

Packed dimensions and weight:
1.68 m³ and 225 kg

Instruments:

- Digital display of element power, temperatures and pressures

Maximum working pressure:
1.25 bar

Maximum element surface temperature:
200°C

- TecEquipment Ltd, Bonsall Street, Long Eaton, Nottingham NG10 2AN, UK
- **T** +44 115 972 2611 • **F** +44 115 973 1520 • **E** info@tecquipment.com • **W** www.tecquipment.com
- An ISO 9001 certified company
- VDAS is a registered trademark of TecEquipment Ltd

